



For Planets With Lives

JAPANESE TECHNOLOGY

## INDIA'S LEADING TRANSPLANTER BRAND

Preferred Choice of Farming Contractors Due to:

- ✦ Excellent Planting Performance
- ✦ Advanced Japanese Technology
- ✦ High Durability
- ✦ Excellent Dealership and Service Footprint
- ✦ Availability of Spare Parts



Model - LC06W  
6 Row Walk Behind Transplanter

## Key Success of Kaira Trans Planter Contractors :

Targeting 100 acres Per season \*Targeting Operational area Below 2.5km \*Our Contractor Guiding Farmers to Raise Nursery at his own fields \*Dealers Servicing Before Seasonal \*Kaira Suggesting to Change Assembly Instead of Child Inner Parts of Trans Planter which Makes Repeated Issue.

### ☆ India's First Belt Feeder of Nursery

*India's First Belt Feeder of Nurdserly*



### ☆ India's First Self Starter

*The latest Generation LC-04W can be Started with Help of a Button and Starring Using a Rope is Provided for Emergency. This Saves Idle time by 25%*



### ☆ Stone Resistant Planter

*The Latest Generation LC-04W Durability has Been Increased by up to 50% when Compared with the Previous Generation for Assed Stone Resistance by Providing Additional seals and Covers for wheels and Arms*



### ☆ Deep Field Planter

*Built for Tough Conditions  
Deep Filds up to 60cm  
Fields with Cage Wheel Pudding  
Water Logged Fields*



## Specifications

Model		KAIRA LC06W	
<b>Dimension</b>	Length (mm)	2370	
	Width (mm)	1930	
	height (mm)	910	
	weight (kg)	190	
<b>Engine</b>	air-cooled,4-stroke		
	Total Displacement	175	
	Normal Power at rated speed(ps/rpm)	3.3(4.5)/ 3600	
	Fuel	lead-free Gasoline	
	Starting system	BUTTON START / Recoil starting	
<b>Driving</b>	Fuel Tank Capacity(ml)		4000
	Transmission Type		Mechanical (Gear)
	Transmission Level	Forward	2 Level
		Reverse	1 Level
	Traveling speed(m/s)	2 Levels	1.0m/s
		1 Level	0.6m/s
<b>Size of Wheel</b>	Diameter (mm)		600
	Width (mm)		90
	Lug Size (mm)		79×90
	Lug Piece		9
<b>Seedling condition</b>	seedling length		100-130
	Seedling Type		yong seedling 15--18 Days
	Leaf		3--5
<b>Seedling tray System</b>	Size of seedling tray	Length (mm)	780mm
		Width(mm)	1252mm
		Piece	1
	Size of reserved Seedling Heap Mat	Length (mm)	620mm
		Width(mm)	930mm
		Piece	1
<b>Transplanting Unit</b>	Transplanting Arm		Crank Type
	Transplanting Rows		6
	No.of plants in 3.3 m <sup>2</sup>		90,80,70,60,50
	transplanting Depth		10--40
	Interrow Spacing (mm)		300
	Hill-to -hill distance (mm)		120,140,160,180,21
	Transplanting speed		0-1.4m/s
	working efficiency		6- 9mu/h



For Customer Complaints Contact  
Customercare @ [kairagroups.com](mailto:kairagroups.com)

YouTube

Customer Support India:  
+91 755 00 000 35



**CORPORATE HEAD OFFICE, INDIA:  
KAIRA AGRICULTURAL MACHINERY**

Address: Level 5, Tamarai Tech Park,  
S.P. Plot No.16-19 & 20-A, Jawaharlal Nehru Road,  
Thiru Vi Ka Industrial Estate, Guindy, Chennai,  
Tamil Nadu - 600032.

Tel (Infodesk) : 044-4065 2563

Customer Support India: +91 755 00 000 35

Email : [sales@kairagroups.in](mailto:sales@kairagroups.in)

Website: [www.kairagroups.com](http://www.kairagroups.com)